

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

E. L. LONG

Alvin, Texas

**The Largest Seed House In
South Texas**

★ JAN 17 1931 ★

**All my seed are tested for
Germination before I
offer them for sale.**



**1930-1931
PRICE LIST ON
Nursery Stock**



All Orange Buds taken from heavy bearing trees. This, together with a strong, healthy root system insures you long life trees and heavy bearers. Don't overlook the Pineapple pear—it is the money maker of South Texas.

December and January are the two best months to plant fruit trees.



**Exhibition and Sales Ground—
Hardy Street, Opposite
Alvin Hotel.**

1930 - 1931

Price List

IMPROVED SATSUM ORANGES

All Buds from heavy bearing trees

Budded on 2-year old roots, well branched and bushy	6 to 12 inches	.20
	12 to 18 inches	.35
	20 to 24 inches	.45
	24 to 30 inches	.60

Two year old Satsuma Orange Trees \$1.50 each

ROUND ORANGES

Improved Texas Sweet-----	6 to 12 inches	.25
	12 to 16 inches	.45
	18 to 22 inches	.60

KUMQUATS

Oblong -----	} .20 - .30 - .50 - .75
Round, Sweet -----	

PEARS

Pine Apple--on Japanese roots, blight-resisting, bear 3rd year	2 to 3 feet	.25
	3 to 4 feet	.30
	4 to 5 feet	.35

Bartlett — on Japanese roots, blight-resisting, bear 3rd year	3 to 4 feet	.40
	4 to 5 feet	.50

Two year old -----75c each

Le Conte, very early-----	} 4 to 5 feet .45
Garber, medium -----	
Keiffer, late but good preserver -----	
	5 to 6 feet .55

PLUMS

Bruce, ripens about May 20--	} 25 to 35 cents
Methley, ripens about May 15	
Gonzales, ripens about July 1	
Texas Beauty, ripens about May 10	
Francis, ripens about June 15	
Excelsior, ripens about July 10	

2 to 3 years old Plums, bear }
first year. } 75c each.

PEACHES

Best June, ripens June 10	}	25 to 35 cents
Mamie Ross, ripens July 5		
Indian Kling, ripens August 1		
Elberta, ripens July 10		
Honey, ripens June 15		
Carmen, ripens July 5		

APPLES

Helms	}	2 to 3 feet .40
Becker		3 to 4 feet .50

QUINCES

Orange	.40
--------	-----

LARGE JAPANESE PERSIMMONS

Tani Nashi	}	2 to 3 feet .35
Hyakume		3 to 4 feet .45
		4 to 5 feet .55

500,000 Trifolita plants-----\$2.50 thousand

CHERRIES

Early Richmond; Large Montmorency----60c each

FICS

Magnolia	}	25 cents
Celestial		30 cents
Green Ischea		30 cents
Brown Turkey		30 cents

GRAPES

Moore's Early	}	1-year old 15c each
Niagara		
Delaware		2-year old 25c each
Concord		
Carman		

PECANS

Stuarts	3 to 4 feet	75c each
	4 to 5 feet	85c each
	5 to 6 feet	95c each
	7 to 8 feet	\$1.25 each

PECANS

Success	3 to 4 feet	75c each
	4 to 5 feet	85c each
	5 to 6 feet	95c each
	7 to 8 feet	\$1.25 each
Schley	3 to 4 feet	75c each
	4 to 5 feet	85c each
Money Maker	3 to 4 feet	75c each
	4 to 5 feet	85c each
Delmas	3 to 4 feet	75c each
	4 to 5 feet	85c each
Pabst	3 to 4 feet	75c each
	4 to 5 feet	85c each
	5 to 6 feet	95c each
	7 to 8 feet	\$1.25 each
Frotscher	3 to 4 feet	75c each
	4 to 5 feet	85c each
Moore's	3 to 4 feet	75c each
	4 to 5 feet	85c each
	7 to 8 feet	\$1.25 each

All budded on four year old roots and will bear
the third year.

APRICOTS—on Mariana roots 3 to 6 feet...45
Moor Park; Royal.

DEWBERRIES

Thornless	-----	8c each
Mayes	-----	5c each

BLACKBERRIES

McDonald	-----5c each	\$3.00 hundred
Dallas	-----5c each	\$3.00 hundred
China Ju Juba	-----	25c to 35c

ROSES

Red and Pink Radiance	-----	25c to 35c
-----------------------	-------	------------

Amur River Pivot, 20 to 36 inch
\$3.00 per hundred

Citrus trees should be pruned before planting. It is a safe plan with practically all plants that the tops and broken roots (if any) should be cut back before planting.

Set the trees the same depth they stood in the nursery rows. The exact point can be determined by the earth-mark, or the "collar". Citrus trees, particularly, are very much injured by too deep planting, and it is a safe rule with all trees and shrubs to set them a little higher than they grew rather than lower. Spread out the roots carefully by hand, and pack the earth well around them. When the hole is three-quarters filled up, pack thoroughly with the feet. This is important. More trees are lost from loose packing than from any other cause. After packing thoroughly, and before the hole is quite filled up, pour in water, especially if the soil is dry.

..December and January planting brings best results. They get a better and earlier start in Spring.